



Meitheal Pharmaceuticals, Inc.

Safety Data Sheet

|                                                                         |                                             |                                     |
|-------------------------------------------------------------------------|---------------------------------------------|-------------------------------------|
| <b>SDS Title:</b><br>Cisatracurium Besylate Injection Safety Data Sheet | <b>SDS Number:</b><br>SDS-000018            | <b>Page Number:</b><br>Page 1 of 13 |
| <b>Function:</b><br>Regulatory Affairs                                  | <b>Effective Date:</b><br>November 08, 2023 | <b>Version number:</b><br>3.0       |

## Section 1. Identification

**GHS product identifier** : Cisatracurium Besylate Injection  
**Other means of identification** : Cisatracurium Besylate Injection  
**Product type** : Liquid.

### Relevant identified uses of the substance or mixture and uses advised against

**Product use** : Pharmaceuticals (For intended use only.).  
Observe technical data sheet/instructions for use.  
Specific Treatments: Anesthesia./Sedative./Skeletal muscle relaxants.

**Area of application** : Professional applications.

**Supplier's details** : Meitheal Pharmaceuticals, Inc.  
8700 W. Bryn Mawr, Suite 600S  
Chicago, IL 60631

Telephone: 224-443-4617  
www.meithealpharma.com

**e-mail address of person responsible for this SDS** : info@meithealpharma.com

**Emergency telephone number (with hours of operation)** : 844-824-8426 (Monday - Friday, 08:00 - 18:00 CST)

## Section 2. Hazards identification

**OSHA/HCS status** : While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

**Classification of the substance or mixture** : Not classified.

### GHS label elements

**Signal word** : No signal word.

**Hazard statements** : No known significant effects or critical hazards.

### Precautionary statements

**Prevention** : Not applicable.

**Response** : Not applicable.

**Storage** : Not applicable.

**Disposal** : Not applicable.

|                                                                         |                                             |                                     |
|-------------------------------------------------------------------------|---------------------------------------------|-------------------------------------|
| <b>SDS Title:</b><br>Cisatracurium Besylate Injection Safety Data Sheet | <b>SDS Number:</b><br>SDS-000018            | <b>Page Number:</b><br>Page 2 of 13 |
| <b>Function:</b><br>Regulatory Affairs                                  | <b>Effective Date:</b><br>November 08, 2023 | <b>Version number:</b><br>3.0       |

## Section 2. Hazards identification

**Hazards not otherwise classified** : None known.

## Section 3. Composition/information on ingredients

**Substance/mixture** : Mixture  
**Other means of identification** : Cisatracurium Besylate Injection

| Ingredient name        | Other names    | %    | CAS number |
|------------------------|----------------|------|------------|
| water                  | -              | ≥90  | 7732-18-5  |
| benzyl alcohol         | Benzyl alcohol | <1   | 100-51-6   |
| cisatracurium besilate | -              | <1   | 96946-42-8 |
| benzenesulphonic acid  | -              | ≤0.3 | 98-11-3    |
| nitrogen               | Nitrogen       | ≤0.3 | 7727-37-9  |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

## Section 4. First aid measures

### Description of necessary first aid measures

- Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
- Ingestion** : Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

- Eye contact** : No known significant effects or critical hazards.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : No known significant effects or critical hazards.
- Ingestion** : No known significant effects or critical hazards.

#### Over-exposure signs/symptoms

|                                                                         |                                             |                                     |
|-------------------------------------------------------------------------|---------------------------------------------|-------------------------------------|
| <b>SDS Title:</b><br>Cisatracurium Besylate Injection Safety Data Sheet | <b>SDS Number:</b><br>SDS-000018            | <b>Page Number:</b><br>Page 3 of 13 |
| <b>Function:</b><br>Regulatory Affairs                                  | <b>Effective Date:</b><br>November 08, 2023 | <b>Version number:</b><br>3.0       |

## Section 4. First aid measures

- Eye contact** : No specific data.
- Inhalation** : No specific data.
- Skin contact** : No specific data.
- Ingestion** : No specific data.

### Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Specific treatments** : No specific treatment.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

### Extinguishing media

- Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.
- Unsuitable extinguishing media** : Do not use water jet.

**Specific hazards arising from the chemical** : In a fire or if heated, a pressure increase will occur and the container may burst.

- Hazardous thermal decomposition products** : Decomposition products may include the following materials:  
carbon dioxide  
carbon monoxide  
nitrogen oxides  
sulfur oxides  
fumes (Irritation/toxic)  
Toxic gases

- Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

|                                                                         |                                             |                                     |
|-------------------------------------------------------------------------|---------------------------------------------|-------------------------------------|
| <b>SDS Title:</b><br>Cisatracurium Besylate Injection Safety Data Sheet | <b>SDS Number:</b><br>SDS-000018            | <b>Page Number:</b><br>Page 4 of 13 |
| <b>Function:</b><br>Regulatory Affairs                                  | <b>Effective Date:</b><br>November 08, 2023 | <b>Version number:</b><br>3.0       |

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
- For emergency responders** : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### Methods and materials for containment and cleaning up

- Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

### Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8).
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

- Conditions for safe storage, including any incompatibilities** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

|                                                                         |                                             |                                     |
|-------------------------------------------------------------------------|---------------------------------------------|-------------------------------------|
| <b>SDS Title:</b><br>Cisatracurium Besylate Injection Safety Data Sheet | <b>SDS Number:</b><br>SDS-000018            | <b>Page Number:</b><br>Page 5 of 13 |
| <b>Function:</b><br>Regulatory Affairs                                  | <b>Effective Date:</b><br>November 08, 2023 | <b>Version number:</b><br>3.0       |

## Section 8. Exposure controls/personal protection

### Control parameters

#### Occupational exposure limits

| <b>Ingredient name</b> | <b>Exposure limits</b>                                                   |
|------------------------|--------------------------------------------------------------------------|
| water                  | None.                                                                    |
| benzyl alcohol         | <b>OARS WEEL (United States, 4/2022).</b><br>TWA: 10 ppm 8 hours.        |
| cisatracurium besilate | None.                                                                    |
| benzenesulphonic acid  | None.                                                                    |
| nitrogen               | <b>ACGIH TLV (United States, 1/2023). Oxygen Depletion [Asphyxiant].</b> |

#### **Appropriate engineering controls**

- : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

#### **Environmental exposure controls**

- : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### Individual protection measures

#### **Hygiene measures**

- : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

#### **Eye/face protection**

- : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

### Skin protection

#### **Hand protection**

- : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

#### **Body protection**

- : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

#### **Other skin protection**

- : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

#### **Respiratory protection**

- : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

|                                                                         |                                             |                                     |
|-------------------------------------------------------------------------|---------------------------------------------|-------------------------------------|
| <b>SDS Title:</b><br>Cisatracurium Besylate Injection Safety Data Sheet | <b>SDS Number:</b><br>SDS-000018            | <b>Page Number:</b><br>Page 6 of 13 |
| <b>Function:</b><br>Regulatory Affairs                                  | <b>Effective Date:</b><br>November 08, 2023 | <b>Version number:</b><br>3.0       |

## Section 9. Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

### Appearance

| <b>Physical state</b>                                          | : Liquid. [Solution.]                                                                                                                                                           |       |        |       |         |
|----------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|-------|---------|
| <b>Color</b>                                                   | : Colorless to light yellow./Greenish yellow.                                                                                                                                   |       |        |       |         |
| <b>Odor</b>                                                    | : Odorless.                                                                                                                                                                     |       |        |       |         |
| <b>Odor threshold</b>                                          | : Not available.                                                                                                                                                                |       |        |       |         |
| <b>pH</b>                                                      | : 3.25 to 3.65                                                                                                                                                                  |       |        |       |         |
| <b>Melting point</b>                                           | : Not applicable.                                                                                                                                                               |       |        |       |         |
| <b>Boiling point, initial boiling point, and boiling range</b> | : Not applicable.                                                                                                                                                               |       |        |       |         |
| <b>Flash point</b>                                             | : Closed cup: 331.2°C (628.2°F)                                                                                                                                                 |       |        |       |         |
| <b>Evaporation rate</b>                                        | : Not applicable.                                                                                                                                                               |       |        |       |         |
| <b>Flammability</b>                                            | : Not available.                                                                                                                                                                |       |        |       |         |
| <b>Lower and upper explosion limit/flammability limit</b>      | : Not applicable.                                                                                                                                                               |       |        |       |         |
| <b>Vapor pressure</b>                                          | : Not applicable.                                                                                                                                                               |       |        |       |         |
| <b>Relative vapor density</b>                                  | : Not available.                                                                                                                                                                |       |        |       |         |
| <b>Relative density</b>                                        | : 1 [Water = 1]                                                                                                                                                                 |       |        |       |         |
| <b>Density</b>                                                 | : 1 g/cm <sup>3</sup> [25°C (77°F)]                                                                                                                                             |       |        |       |         |
| <b>Solubility(ies)</b>                                         | : <table border="1" data-bbox="492 1213 1487 1308"> <thead> <tr> <th>Media</th><th>Result</th></tr> </thead> <tbody> <tr> <td>water</td><td>Soluble</td></tr> </tbody> </table> | Media | Result | water | Soluble |
| Media                                                          | Result                                                                                                                                                                          |       |        |       |         |
| water                                                          | Soluble                                                                                                                                                                         |       |        |       |         |

|                                               |                   |
|-----------------------------------------------|-------------------|
| <b>Miscible with water</b>                    | : Yes.            |
| <b>Partition coefficient: n-octanol/water</b> | : Not applicable. |
| <b>Auto-ignition temperature</b>              | : Not applicable. |
| <b>Decomposition temperature</b>              | : Not applicable. |
| <b>SADT</b>                                   | : Not available.  |
| <b>Viscosity</b>                              | : Not applicable. |
| <b>Flow time (ISO 2431)</b>                   | : Not available.  |

### Particle characteristics

|                             |                   |
|-----------------------------|-------------------|
| <b>Median particle size</b> | : Not applicable. |
|-----------------------------|-------------------|

### Other information

|                                              |                              |
|----------------------------------------------|------------------------------|
| <b>Physical/chemical properties comments</b> | : No additional information. |
|----------------------------------------------|------------------------------|

|                                                                         |                                             |                                     |
|-------------------------------------------------------------------------|---------------------------------------------|-------------------------------------|
| <b>SDS Title:</b><br>Cisatracurium Besylate Injection Safety Data Sheet | <b>SDS Number:</b><br>SDS-000018            | <b>Page Number:</b><br>Page 7 of 13 |
| <b>Function:</b><br>Regulatory Affairs                                  | <b>Effective Date:</b><br>November 08, 2023 | <b>Version number:</b><br>3.0       |

## Section 10. Stability and reactivity

- Reactivity** : No specific test data related to reactivity available for this product or its ingredients.
- Chemical stability** : The product is stable.
- Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.  
Under normal conditions of storage and use, hazardous polymerization will not occur.
- Conditions to avoid** : No specific data.
- Incompatible materials** : Reactive or incompatible with the following materials: oxidizing materials.
- Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

### Information on toxicological effects

#### Acute toxicity

| Product/ingredient name | Result                          | Species               | Dose                    | Exposure |
|-------------------------|---------------------------------|-----------------------|-------------------------|----------|
| benzyl alcohol          | LC50 Inhalation Dusts and mists | Rat - Male,<br>Female | >4178 mg/m <sup>3</sup> | 4 hours  |
|                         | LD50 Dermal                     | Rabbit                | 2000 mg/kg              | -        |
|                         | LD50 Oral                       | Rat                   | 1230 mg/kg              | -        |
| benzenesulphonic acid   | LD50 Oral                       | Rat                   | 1100 mg/kg              | -        |

#### Irritation/Corrosion

| Product/ingredient name | Result                   | Species | Score | Exposure        | Observation |
|-------------------------|--------------------------|---------|-------|-----------------|-------------|
| benzyl alcohol          | Skin - Moderate irritant | Rabbit  | -     | 24 hours 100 mg | -           |
| benzenesulphonic acid   | Eyes - Severe irritant   | Rabbit  | -     | 24 hours 250 ug | -           |
|                         | Skin - Severe irritant   | Rabbit  | -     | 24 hours 2 mg   | -           |

#### Sensitization

Not available.

#### Mutagenicity

**Conclusion/Summary** : Not available.

#### Carcinogenicity

**Conclusion/Summary** : None of the components in this product at concentrations greater than 0.1% are listed by IARC, NTP, OSHA or ACGIH as a carcinogen.

|                                                                         |                                             |                                     |
|-------------------------------------------------------------------------|---------------------------------------------|-------------------------------------|
| <b>SDS Title:</b><br>Cisatracurium Besylate Injection Safety Data Sheet | <b>SDS Number:</b><br>SDS-000018            | <b>Page Number:</b><br>Page 8 of 13 |
| <b>Function:</b><br>Regulatory Affairs                                  | <b>Effective Date:</b><br>November 08, 2023 | <b>Version number:</b><br>3.0       |

## Section 11. Toxicological information

### Reproductive toxicity

**Conclusion/Summary** : Not available.

### Teratogenicity

**Conclusion/Summary** : Not available.

### Specific target organ toxicity (single exposure)

| Name           | Category   | Route of exposure | Target organs                |
|----------------|------------|-------------------|------------------------------|
| benzyl alcohol | Category 3 | -                 | Respiratory tract irritation |

### Specific target organ toxicity (repeated exposure)

Not available.

### Aspiration hazard

Not available.

**Information on the likely routes of exposure** : Not available.

### Potential acute health effects

**Eye contact** : No known significant effects or critical hazards.  
**Inhalation** : No known significant effects or critical hazards.  
**Skin contact** : No known significant effects or critical hazards.  
**Ingestion** : No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** : No specific data.  
**Inhalation** : No specific data.  
**Skin contact** : No specific data.  
**Ingestion** : No specific data.

### Delayed and immediate effects and also chronic effects from short and long term exposure

#### Short term exposure

**Potential immediate effects** : Not available.  
**Potential delayed effects** : Not available.

#### Long term exposure

**Potential immediate effects** : Not available.  
**Potential delayed effects** : Not available.

#### Potential chronic health effects

|                                                                         |                                             |                                     |
|-------------------------------------------------------------------------|---------------------------------------------|-------------------------------------|
| <b>SDS Title:</b><br>Cisatracurium Besylate Injection Safety Data Sheet | <b>SDS Number:</b><br>SDS-000018            | <b>Page Number:</b><br>Page 9 of 13 |
| <b>Function:</b><br>Regulatory Affairs                                  | <b>Effective Date:</b><br>November 08, 2023 | <b>Version number:</b><br>3.0       |

## Section 11. Toxicological information

|                              |                                                     |
|------------------------------|-----------------------------------------------------|
| <b>General</b>               | : No known significant effects or critical hazards. |
| <b>Carcinogenicity</b>       | : No known significant effects or critical hazards. |
| <b>Mutagenicity</b>          | : No known significant effects or critical hazards. |
| <b>Reproductive toxicity</b> | : No known significant effects or critical hazards. |

### Numerical measures of toxicity

#### Acute toxicity estimates

| Product/ingredient name | Oral (mg/kg) | Dermal (mg/kg) | Inhalation (gases) (ppm) | Inhalation (vapors) (mg/l) | Inhalation (dusts and mists) (mg/l) |
|-------------------------|--------------|----------------|--------------------------|----------------------------|-------------------------------------|
| benzyl alcohol          | 1230         | 2000           | N/A                      | N/A                        | 1.5                                 |
| cisatracurium besilate  | 100          | N/A            | N/A                      | N/A                        | N/A                                 |
| benzenesulphonic acid   | 1100         | N/A            | N/A                      | N/A                        | N/A                                 |

## Section 12. Ecological information

### Toxicity

| Product/ingredient name | Result                              | Species                                                 | Exposure |
|-------------------------|-------------------------------------|---------------------------------------------------------|----------|
| benzyl alcohol          | Acute LC50 10 ppm Fresh water       | Fish - <i>Lepomis macrochirus</i>                       | 96 hours |
| benzenesulphonic acid   | Acute EC50 2300000 µg/l Fresh water | Algae - <i>Navicula seminulum</i> var. <i>hustedtii</i> | 96 hours |
|                         | Acute EC50 >103 mg/l Fresh water    | Daphnia - <i>Daphnia magna</i>                          | 48 hours |

|                           |                  |
|---------------------------|------------------|
| <b>Conclusion/Summary</b> | : Not available. |
|---------------------------|------------------|

### Persistence and degradability

| Product/ingredient name | Aquatic half-life | Photolysis | Biodegradability |
|-------------------------|-------------------|------------|------------------|
| benzyl alcohol          | -                 | -          | Readily          |
| benzenesulphonic acid   | -                 | -          | Readily          |

### Bioaccumulative potential

| Product/ingredient name | LogP <sub>ow</sub> | BCF | Potential |
|-------------------------|--------------------|-----|-----------|
| water                   | -1.38              | -   | Low       |
| benzyl alcohol          | 0.87               | -   | Low       |
| benzenesulphonic acid   | -0.4               | -   | Low       |
| nitrogen                | 0.67               | -   | Low       |

### Mobility in soil

This document contains proprietary information. It must not be reproduced or disclosed to others without prior written approval. The user is responsible for checking the current effective date before using this document.

|                                                                         |                                             |                                      |
|-------------------------------------------------------------------------|---------------------------------------------|--------------------------------------|
| <b>SDS Title:</b><br>Cisatracurium Besylate Injection Safety Data Sheet | <b>SDS Number:</b><br>SDS-000018            | <b>Page Number:</b><br>Page 10 of 13 |
| <b>Function:</b><br>Regulatory Affairs                                  | <b>Effective Date:</b><br>November 08, 2023 | <b>Version number:</b><br>3.0        |

## Section 12. Ecological information

**Soil/water partition coefficient (K<sub>oc</sub>)** : Not available.

**Other adverse effects** : No known significant effects or critical hazards.

## Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## Section 14. Transport information

|                                   | <b>DOT Classification</b> | <b>IMDG</b>    | <b>IATA</b>    |
|-----------------------------------|---------------------------|----------------|----------------|
| <b>UN number</b>                  | Not regulated.            | Not regulated. | Not regulated. |
| <b>UN proper shipping name</b>    | -                         | -              | -              |
| <b>Transport hazard class(es)</b> | -                         | -              | -              |
| <b>Packing group</b>              | -                         | -              | -              |
| <b>Environmental hazards</b>      | No.                       | No.            | No.            |

### Additional information

**Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**Transport in bulk according to IMO instruments** : Not available.

|                                                                         |                                             |                                      |
|-------------------------------------------------------------------------|---------------------------------------------|--------------------------------------|
| <b>SDS Title:</b><br>Cisatracurium Besylate Injection Safety Data Sheet | <b>SDS Number:</b><br>SDS-000018            | <b>Page Number:</b><br>Page 11 of 13 |
| <b>Function:</b><br>Regulatory Affairs                                  | <b>Effective Date:</b><br>November 08, 2023 | <b>Version number:</b><br>3.0        |

## Section 15. Regulatory information

**U.S. Federal regulations** : TSCA 8(a) CDR Exempt/Partial exemption: Not determined  
United States inventory (TSCA 8b): Not determined.

**Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)** : Not listed

**Clean Air Act Section 602 Class I Substances** : Not listed

**Clean Air Act Section 602 Class II Substances** : Not listed

**DEA List I Chemicals (Precursor Chemicals)** : Not listed

**DEA List II Chemicals (Essential Chemicals)** : Not listed

### SARA 302/304

#### Composition/information on ingredients

No products were found.

**SARA 304 RQ** : Not applicable.

### SARA 311/312

**Classification** : Not applicable.

#### Composition/information on ingredients

| Name                   | %    | Classification                                                                                                                                                                                                                                                                                                           |
|------------------------|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| benzyl alcohol         | <1   | FLAMMABLE LIQUIDS - Category 4<br>ACUTE TOXICITY (oral) - Category 4<br>ACUTE TOXICITY (dermal) - Category 4<br>ACUTE TOXICITY (inhalation) - Category 4<br>SKIN IRRITATION - Category 2<br>EYE IRRITATION - Category 2A<br>SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3 |
| cisatracurium besilate | <1   | ACUTE TOXICITY (oral) - Category 3                                                                                                                                                                                                                                                                                       |
| benzenesulphonic acid  | ≤0.3 | CORROSIVE TO METALS - Category 1<br>ACUTE TOXICITY (oral) - Category 4<br>SKIN CORROSION - Category 1C<br>SERIOUS EYE DAMAGE - Category 1                                                                                                                                                                                |
| nitrogen               | ≤0.3 | HNOC - Corrosive to digestive tract<br>GASES UNDER PRESSURE - Compressed gas<br>SIMPLE ASPHYXIANTS                                                                                                                                                                                                                       |

### SARA 313

Not applicable.

### State regulations

**Massachusetts** : None of the components are listed.

|                                                                  |                                      |                               |
|------------------------------------------------------------------|--------------------------------------|-------------------------------|
| SDS Title:<br>Cisatracurium Besylate Injection Safety Data Sheet | SDS Number:<br>SDS-000018            | Page Number:<br>Page 12 of 13 |
| Function:<br>Regulatory Affairs                                  | Effective Date:<br>November 08, 2023 | Version number:<br>3.0        |

## Section 15. Regulatory information

**New York** : None of the components are listed.  
**New Jersey** : None of the components are listed.  
**Pennsylvania** : None of the components are listed.  
**California Prop. 65**

This product does not require a Safe Harbor warning under California Prop. 65.

### International regulations

#### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### Montreal Protocol

Not listed.

#### Stockholm Convention on Persistent Organic Pollutants

Not listed.

#### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

#### UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

## Section 16. Other information

### Hazardous Material Information System (U.S.A.)

|                  |   |   |
|------------------|---|---|
| Health           | / | 0 |
| Flammability     |   | 1 |
| Physical hazards |   | 0 |

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

### National Fire Protection Association (U.S.A.)



### Procedure used to derive the classification

|                                                                         |                                             |                                      |
|-------------------------------------------------------------------------|---------------------------------------------|--------------------------------------|
| <b>SDS Title:</b><br>Cisatracurium Besylate Injection Safety Data Sheet | <b>SDS Number:</b><br>SDS-000018            | <b>Page Number:</b><br>Page 13 of 13 |
| <b>Function:</b><br>Regulatory Affairs                                  | <b>Effective Date:</b><br>November 08, 2023 | <b>Version number:</b><br>3.0        |

## Section 16. Other information

| Classification  | Justification |
|-----------------|---------------|
| Not classified. |               |

### History

|                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|---------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Date of issue/Date of revision</b> | : 11/08/2023                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Date of previous issue</b>         | : 11/22/2021                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Version</b>                        | : 3.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Prepared by</b>                    | : Sphera Solutions                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Key to abbreviations</b>           | : ATE = Acute Toxicity Estimate<br>AMP = Acceptable maximum peak above the acceptable ceiling concentration for an 8-hr shift<br>BCF = Bioconcentration Factor<br>GHS = Globally Harmonized System of Classification and Labelling of Chemicals<br>IATA = International Air Transport Association<br>IBC = Intermediate Bulk Container<br>IMDG = International Maritime Dangerous Goods<br>LogPow = logarithm of the octanol/water partition coefficient<br>MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)<br>N/A = Not available<br>UN = United Nations |
| <b>References</b>                     | : HCS (U.S.A.)- Hazard Communication Standard<br>International transport regulations                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

Indicates information that has changed from previously issued version.

### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.