

SDS Title:	SDS Number:	Page Number:
Mycophenolate Mofetil Hydrochloride for Injection Safety Data Sheet	SDS-000039	Page 1 of 16
Function:	Effective Date:	Version number:

# **Section 1. Identification**

**GHS** product identifier : Mycophenolate Mofetil Hydrochloride for Injection

Other means of identification: 2-morpholinoethyl (E)-6-(1,3dihydro-4-hydroxy-6-methoxy-7-methyl-3-oxo-

5-isobenzofuranyl)-4-methyl-4hexenoate

**Product type** : Powder.

Relevant identified uses of the substance or mixture and uses advised against

**Product use** : Pharmaceuticals (For intended use only.).

> Observe technical data sheet/instructions for use. Specific Treatments: Immunosuppresive agent.

Area of application : Professional applications.

Supplier's details : Meitheal Pharmaceuticals, Inc.

8700 W. Bryn Mawr, Suite 600S

Chicago, IL 60631

Telephone: 224-443-4617 www.meithealpharma.com

e-mail address of person responsible for this SDS

: info@meithealpharma.com

**Emergency telephone** number (with hours of operation)

: 844-824-8426 (Monday - Friday, 08:00 - 18:00 CST)

# Section 2. Hazards identification

**OSHA/HCS** status : This material is considered hazardous by the OSHA Hazard Communication Standard

(29 CFR 1910.1200).

Classification of the COMBUSTIBLE DUSTS

substance or mixture H302 ACUTE TOXICITY (oral) - Category 4

H319 EYE IRRITATION - Category 2A

Percentage of the mixture consisting of ingredient(s) of unknown acute oral toxicity: 11.7%

**GHS** label elements

Hazard pictograms



Signal word : Warning



SDS Title:	SDS Number:	Page Number:
Mycophenolate Mofetil Hydrochloride for Injection Safety Data Sheet	SDS-000039	Page 2 of 16
		i
Function:	Effective Date:	Version number:

# Section 2. Hazards identification

**Hazard statements**: H302 - Harmful if swallowed.

H319 - Causes serious eye irritation.

May form combustible dust concentrations in air.

**Precautionary statements** 

Prevention : P280 - Wear eye or face protection.

P270 - Do not eat, drink or smoke when using this product.

P264 - Wash thoroughly after handling.

Response : P301 + P312, P330 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel

unwell. Rinse mouth.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention.

Storage : Not applicable.

Disposal : P501 - Dispose of contents and container in accordance with all local, regional, national

and international regulations.

Supplemental label

elements

: Keep container tightly closed. Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking. Prevent dust accumulation.

Hazards not otherwise

classified

: None known.

# Section 3. Composition/information on ingredients

Substance/mixture

: Mixture

Other means of identification

: 2-morpholinoethyl (E)-6-(1,3dihydro-4-hydroxy-6-methoxy-7-methyl-3-oxo-

5-isobenzofuranyl)-4-methyl-4hexenoate

Ingredient name	Other names	%	CAS number
4-Hexenoic acid, 6-(1,3-dihydro-4-hydroxy-6-methoxy-7-methyl-3-oxo-5-isobenzofuranyl) -4-methyl-, 2-(4-morpholinyl)ethyl ester, (E)-	-	≥75 - ≤90	128794-94-5
Hydrochloric acid	-	<10	7647-01-0
Sorbitan monooleate, ethoxylated citric acid sodium hydroxide	Polysorbate 80 Citric acid -	≤5 <1 ≤0.3	9005-65-6 77-92-9 1310-73-2

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.



SDS Title:	SDS Number:	Page Number:
Mycophenolate Mofetil Hydrochloride for Injection Safety Data Sheet	SDS-000039	Page 3 of 16
Function:		Version number:
Regulatory Affairs	Santambar III 71177	2.0

# Section 4. First aid measures

### **Description of necessary first aid measures**

**Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower

eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10

minutes. Get medical attention.

Inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not

breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial

respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48

nours.

**Skin contact**: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes.

Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes

thoroughly before reuse.

**Ingestion** : Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the

exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. If necessary, call a poison

center or physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain

an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

# Most important symptoms/effects, acute and delayed

### Potential acute health effects

**Eye contact** : Causes serious eye irritation.

**Inhalation** : Exposure to airborne concentrations above statutory or recommended exposure limits

may cause irritation of the nose, throat and lungs.

**Skin contact**: No known significant effects or critical hazards.

**Ingestion**: Harmful if swallowed.

Over-exposure signs/symptoms

**Eye contact**: Adverse symptoms may include the following:

pain or irritation

watering redness

**Inhalation** : Adverse symptoms may include the following:

respiratory tract irritation

coughing

Skin contact : No specific data.

Ingestion : No specific data.



SDS Title:	SDS Number:	Page Number:
Mycophenolate Mofetil Hydrochloride for Injection Safety Data Sheet	SDS-000039	Page 4 of 16
Function:	Effective Date:	Version number:

# Section 4. First aid measures

# Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician

: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Specific treatments

: No specific treatment.

**Protection of first-aiders** 

: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

# See toxicological information (Section 11)

# Section 5. Fire-fighting measures

### **Extinguishing media**

Suitable extinguishing

media

**Unsuitable extinguishing** 

media

: Use dry chemical powder.

: Do not use water jet.

Specific hazards arising from the chemical

Hazardous thermal decomposition products : May form explosible dust-air mixture if dispersed.

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides

halogenated compounds

**Special protective actions** for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

**Special protective** equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# Section 6. Accidental release measures

# Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel".



SDS Title:	SDS Number:	Page Number:
Mycophenolate Mofetil Hydrochloride for Injection Safety Data Sheet	SDS-000039	Page 5 of 16
Function:	Effective Date:	Version number:
Regulatory Affairs	September 09, 2022	2.0

# Section 6. Accidental release measures

### **Environmental precautions**

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### Methods and materials for containment and cleaning up

Small spill

: Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

### Large spill

: Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

### Precautions for safe handling

**Protective measures** 

: Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing dust. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container.

# Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

# Conditions for safe storage, including any incompatibilities

Storage temperature: 25°C (77°F). Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.



SDS Tit	le:	SDS Number:	Page Number:
Мусор	henolate Mofetil Hydrochloride for Injection Safety Data Sheet	SDS-000039	Page 6 of 16
Functio	n: tory Affairs	Effective Date: September 09, 2022	Version number:

# Section 8. Exposure controls/personal protection

### **Control parameters**

### Occupational exposure limits

Ingredient name	Exposure limits
4-Hexenoic acid, 6-(1,3-dihydro-4-hydroxy-6-methoxy-7-methyl-3-oxo-5-isobenzofuranyl)-4-methyl-, 2-(4-morpholinyl)ethyl ester, (E)-	None.
Hydrochloric acid	ACGIH TLV (United States, 1/2022). C: 2 ppm
	NIOSH REL (United States, 10/2020).  CEIL: 5 ppm  CEIL: 7 mg/m³
	OSHA PEL (United States, 5/2018). CEIL: 5 ppm
Sorbitan monooleate, ethoxylated citric acid	CEIL: 7 mg/m³ None. None.
sodium hydroxide	ACGIH TLV (United States, 1/2022). C: 2 mg/m³
.40	NIOSH REL (United States, 10/2020). CEIL: 2 mg/m³
	OSHA PEL (United States, 5/2018). TWA: 2 mg/m³ 8 hours.

# Appropriate engineering controls

: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

# **Environmental exposure** controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### **Individual protection measures**

### **Hygiene measures**

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

# **Eye/face protection**

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles. If operating conditions cause high dust concentrations to be produced, use dust goggles.

### **Skin protection**



SDS Title:	SDS Number:	Page Number:
Mycophenolate Mofetil Hydrochloride for Injection Safety Data Sheet	SDS-000039	Page 7 of 16
Function:		Version number:
Regulatory Affairs	September 09, 2022	2.0

# Section 8. Exposure controls/personal protection

**Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be

worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection

time of the gloves cannot be accurately estimated.

**Body protection**: Personal protective equipment for the body should be selected based on the task being

performed and the risks involved and should be approved by a specialist before handling

this product.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected

based on the task being performed and the risks involved and should be approved by a

specialist before handling this product.

Respiratory protection : Based on the hazard and potential for exposure, select a respirator that meets the

appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

**Appearance** 

Physical state : Solid. [Powder.]

Color : White to off-white.

Odor threshold : Odorless.

Not available.

pH : 2.7 to 4.1 (reconstitution solution)

Melting point : Not available.

Boiling point, initial boiling : Not available.

point, and boiling range

Flash point : Not applicable.
Evaporation rate : Not available.
Flammability : Not available.
Lower and upper explosion : Not applicable.

limit/flammability limit

Vapor pressure : Not available.

Relative vapor density : Not applicable.

Relative density : Not available.

Density : Not available.

Solubility(ies) : Media Result

Media	Result
cold water	Easily soluble
hot water	Easily soluble
	cold water



SDS Title:	SDS Number:	Page Number:
Mycophenolate Mofetil Hydrochloride for Injection Safety Data Sheet	SDS-000039	Page 8 of 16
Function:		Version number:
Regulatory Affairs	I Sentember III 71177	12.0

# Section 9. Physical and chemical properties

Miscible with water

: Yes.

Partition coefficient: n-

: Not applicable.

octanol/water

Auto-ignition temperature Decomposition temperature

Not applicable.Not available.Not available.

SADT Viscosity Flow time (ISO 2431)

Not applicable.Not available.

**Particle characteristics** 

Median particle size

: Not available.

**Other information** 

Physical/chemical

: No additional information.

Physical/chemical properties comments

# Section 10. Stability and reactivity

Reactivity

: No specific test data related to reactivity available for this product or its ingredients.

**Chemical stability** 

: The product is stable.

Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.
Under normal conditions of storage and use, hazardous polymerization will not occur.

**Conditions to avoid** 

: Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Prevent dust accumulation. Avoid high temperatures.

Incompatible materials

: Reactive or incompatible with the following materials: oxidizing materials

Reactive or incompatible with the following materials: acids.

Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should

not be produced.



**Safety Data Sheet** 

SDS Title: Mycophenolate Mofetil Hydrochloride for Injection Safety Data Sheet	Page Number: Page 9 of 16
Function: Regulatory Affairs	Version number: 2.0

# **Section 11. Toxicological information**

# Information on toxicological effects

# **Acute toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
Sorbitan monooleate, ethoxylated	LD50 Oral	Rat	34500 uL/kg	-
citric acid	LD50 Dermal	Rat - Male, Female	>2000 mg/kg	-
	LD50 Oral	Rat	3 g/kg	-

# **Irritation/Corrosion**

Product/ingredient name	Result	Species	Score	Exposure	Observation
Hydrochloric acid	Eyes - Mild irritant	Rabbit	-	0.5 minutes 5	-
				mg	
Sorbitan monooleate,	Eyes - Mild irritant	Rabbit	-	150 mg	-
ethoxylated	_				
citric acid	Eyes - Severe irritant	Rabbit	-	24 hours 750	-
				ug	
	Skin - Mild irritant	Rabbit	-	24 hours 500	-
	10			mg	
	Skin - Moderate irritant	Rabbit	-	0.5 MI	-
sodium hydroxide	Eyes - Mild irritant	Rabbit	-	400 ug	-
•	Eyes - Severe irritant	Rabbit	-	1 %	-
	Eyes - Severe irritant	Rabbit	-	0.5 minutes 1	-
				mg	
	Eyes - Severe irritant	Rabbit	-	24 hours 50	-
	-			ug	
	Skin - Severe irritant	Rabbit	-	24 hours 500	-
				mg	

### **Sensitization**

Not available.

### **Mutagenicity**

Conclusion/Summary

: Not available.

**Carcinogenicity** 

**Conclusion/Summary** 

: Not available.

# **Classification**

Product/ingredient name	OSHA	IARC	NTP
Hydrochloric acid	-	3	-

# **Reproductive toxicity**

**Conclusion/Summary** 

: Not available.

**Teratogenicity** 

**Conclusion/Summary**: Not available.



SDS Title: Mycophenolate Mofetil Hydrochloride for Injection Safety Data Sheet	Page Number: Page 10 of 16
Function: Regulatory Affairs	Version number: 2.0

# **Section 11. Toxicological information**

# Specific target organ toxicity (single exposure)

Name	Category	Route of exposure	Target organs
Hydrochloric acid	Category 3	-	Respiratory tract irritation
citric acid	Category 3	-	Respiratory tract irritation
sodium hydroxide	Category 3	-	Respiratory tract irritation

# Specific target organ toxicity (repeated exposure)

Not available.

### **Aspiration hazard**

Not available.

Information on the likely routes of exposure

: Routes of entry anticipated: Oral, Dermal, Inhalation.

Potential acute health effects

**Eye contact** : Causes serious eye irritation.

**Inhalation** : Exposure to airborne concentrations above statutory or recommended exposure limits

may cause irritation of the nose, throat and lungs.

**Skin contact**: No known significant effects or critical hazards.

Ingestion : Harmful if swallowed.

### Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact**: Adverse symptoms may include the following:

pain or irritation watering redness

**Inhalation** : Adverse symptoms may include the following:

respiratory tract irritation

coughing

Skin contact : No specific data.

Ingestion : No specific data.

### Delayed and immediate effects and also chronic effects from short and long term exposure

**Short term exposure** 

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

Long term exposure



SDS Title: SD	SDS Number:	Page Number:
Mycophenolate Mofetil Hydrochloride for Injection Safety Data Sheet SD	SDS-000039	Page 11 of 16
		Version number:

# **Section 11. Toxicological information**

**Potential immediate** 

: Not available.

effects

Potential delayed effects : Not available.

Potential chronic health effects

General : Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.

Carcinogenicity : No known significant effects or critical hazards.
 Mutagenicity : No known significant effects or critical hazards.
 Reproductive toxicity : No known significant effects or critical hazards.

# **Numerical measures of toxicity**

# **Acute toxicity estimates**

Product/ingredient name	7.113	Dermal (mg/kg)		(vapors)	Inhalation (dusts and mists) (mg/ I)
Mycophenolate Mofetil Hydrochloride for Injection 4-Hexenoic acid, 6-(1,3-dihydro-4-hydroxy-6-methoxy-7-methyl-3-oxo-5-isobenzofuranyl)-4-methyl-, 2-(4-morpholinyl)ethyl ester, (E)-	505.7 500		N/A N/A	N/A N/A	N/A N/A
citric acid	3000	2500	N/A	N/A	N/A

# Section 12. Ecological information

# **Toxicity**

Product/ingredient name	Result	Species	Exposure
Hydrochloric acid	Acute LC50 240000 μg/l Marine water	Crustaceans - Carcinus maenas - Adult	48 hours
	Acute LC50 282 ppm Fresh water	Fish - Gambusia affinis - Adult	96 hours
citric acid	Acute LC50 160000 μg/l Marine water	Crustaceans - Carcinus maenas - Adult	48 hours
sodium hydroxide	Acute EC50 40.38 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours
	Acute LC50 125 ppm Fresh water	Fish - Gambusia affinis - Adult	96 hours

Conclusion/Summary : Not available.

### Persistence and degradability

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
citric acid	-	-	Readily



**Safety Data Sheet** 

SDS Title:	SDS Number:	Page Number:
Mycophenolate Mofetil Hydrochloride for Injection Safety Data Sheet	SDS-000039	Page 12 of 16
Function:	Effective Date:	Version number:

# Section 12. Ecological information

### Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
4-Hexenoic acid, 6- (1,3-dihydro-4-hydroxy- 6-methoxy-7-methyl-3-oxo- 5-isobenzofuranyl)-4-methyl-, 2-(4-morpholinyl)ethyl ester, (E)-	2.38	-	low
citric acid	-1.8	-	low

**Mobility in soil** 

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects

: No known significant effects or critical hazards.

# Section 13. Disposal considerations

# **Disposal methods**

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

# **Section 14. Transport information**

	DOT Classification	IMDG	IATA
UN number	Not regulated.	UN3077	UN3077
UN proper shipping name	-	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (4-Hexenoic acid, 6-(1,3-dihydro-4-hydroxy- 6-methoxy-7-methyl-3-oxo- 5-isobenzofuranyl)-4-methyl-, 2- (4-morpholinyl)ethyl ester, (E)-)	Environmentally hazardous substance, solid, n.o.s. (4-Hexenoic acid, 6-(1,3-dihydro-4-hydroxy-6-methoxy-7-methyl-3-oxo-5-isobenzofuranyl) -4-methyl-, 2-(4-morpholinyl) ethyl ester, (E)-)



Safety Data Sheet

SDS Title: Mycophenolate Mofetil Hydrochloride for Injection Safety Data Sheet	SDS Number: SDS-000039	Page Number: Page 13 of 16
Function:	Effective Date:	Version number:
Regulatory Affairs	September 09, 2022	2.0

# **Section 14. Transport information**

Transport hazard class(es)	-	9	9
Packing group	-	III	III
Environmental hazards	No.	Yes.	Yes.

### **Additional information**

**DOT Classification** 

: **Remarks** 49 CFR 171.4 (c)

IMDG

: This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and

4.1.1.4 to 4.1.1.8.

Emergency schedules F-A, S-F

**Special provisions** 274, 335, 966, 967, 969

**IATA** 

: This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8.

Quantity limitation Passenger and Cargo Aircraft: 400 kg. Packaging instructions: 956. Cargo Aircraft Only. 400 kg. Packaging instructions: 956. Limited Quantities - Passenger

Aircraft: 30 kg. Packaging instructions: Y956. Special provisions A97, A158, A179, A197

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to IMO instruments

: Not available.

# Section 15. Regulatory information

**U.S. Federal regulations** 

: TSCA 8(a) CDR Exempt/Partial exemption: Not determined

United States inventory (TSCA 8b): Not determined.

Clean Water Act (CWA) 311: Hydrochloric acid; sodium hydroxide

Clean Air Act (CAA) 112 regulated toxic substances: Hydrochloric acid

Clean Air Act Section 112

(b) Hazardous Air **Pollutants (HAPs)**  : Listed

Clean Air Act Section 602

Class I Substances

: Not listed



**Safety Data Sheet** 

SDS Title:	SDS Number:	Page Number:
Mycophenolate Mofetil Hydrochloride for Injection Safety Data Sheet	SDS-000039	Page 14 of 16
Function:	Effective Date:	Version number:

# Section 15. Regulatory information

**Clean Air Act Section 602** 

**Class II Substances** 

: Not listed

DEA List I Chemicals

: Not listed

(Precursor Chemicals)

: Not listed

**DEA List II Chemicals** (Essential Chemicals)

SARA 302/304

# Composition/information on ingredients

			SARA 302 TPQ		SARA 304 RQ	
Name	%	EHS	(lbs)	(gallons)	(lbs)	(gallons)
Hydrochloric acid	<10	Yes.	500	50.6	5000	506.5

**SARA 304 RQ** : 68493.2 lbs / 31095.9 kg

**SARA 311/312** 

Classification : COMBUSTIBLE DUSTS

ACUTE TOXICITY (oral) - Category 4 EYE IRRITATION - Category 2A

# **Composition/information on ingredients**

Name	%	Classification
4-Hexenoic acid, 6-(1,3-dihydro- 4-hydroxy-6-methoxy-7-methyl- 3-oxo-5-isobenzofuranyl) -4-methyl-, 2-(4-morpholinyl) ethyl ester, (E)-	≥75 - ≤90	ACUTE TOXICITY (oral) - Category 4
Hydrochloric acid	<10	SKIN CORROSION - Category 1B SERIOUS EYE DAMAGE - Category 1 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3 HNOC - Corrosive to digestive tract
Sorbitan monooleate, ethoxylated citric acid	≤5 <1	EYE IRRITATION - Category 2B COMBUSTIBLE DUSTS SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3
sodium hydroxide	≤0.3	CORROSIVE TO METALS - Category 1 SKIN CORROSION - Category 1A SERIOUS EYE DAMAGE - Category 1 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3 HNOC - Corrosive to digestive tract [severe]

# **SARA 313**



# Safety Data Sheet

SDS Title:	SDS Number:	Page Number:
Mycophenolate Mofetil Hydrochloride for Injection Safety Data Sheet	SDS-000039	Page 15 of 16
Function:	Ecc. 4: D.4	*7 • 1
Function:	Effective Date:	Version number:

# Section 15. Regulatory information

	Product name	CAS number	%
Form R - Reporting requirements	Hydrochloric acid	7647-01-0	<10
Supplier notification	Hydrochloric acid	7647-01-0	<10

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

# **State regulations**

Massachusetts : The following components are listed: HYDROGEN CHLORIDE

New York : The following components are listed: Hydrochloric acid

New Jersey : The following components are listed: HYDROGEN CHLORIDE
Pennsylvania : The following components are listed: HYDROCHLORIC ACID

California Prop. 65

This product does not require a Safe Harbor warning under California Prop. 65.

#### International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

# **Montreal Protocol**

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed

**UNECE Aarhus Protocol on POPs and Heavy Metals** 

Not listed.

# Section 16. Other information

### **Hazardous Material Information System (U.S.A.)**



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.



SDS Title:	SDS Number:	Page Number:
Mycophenolate Mofetil Hydrochloride for Injection Safety Data Sheet	SDS-000039	Page 16 of 16
Function:	Effective Date:	Version number:
Regulatory Affairs	September 09, 2022	2.0

# Section 16. Other information

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

**National Fire Protection Association (U.S.A.)** 



# Procedure used to derive the classification

Classification		Justification
COMBUSTIBLE DUSTS ACUTE TOXICITY (oral) - Category 4 EYE IRRITATION - Category 2A	. 10	On basis of test data Calculation method Calculation method

#### **History**

Date of issue/Date of

revision

Date of previous issue : 09/11/2020

Version : 2.0

Prepared by : Sphera Solutions

**Key to abbreviations** : ATE = Acute Toxicity Estimate

AMP = Acceptable maximum peak above the acceptable ceiling concentration for an

8-hr shift

: 09/09/2022

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978. ("Marpol" = marine pollution)

N/A = Not available UN = United Nations

References : HCS (U.S.A.)- Hazard Communication Standard

International transport regulations

### ▼ Indicates information that has changed from previously issued version.

### **Notice to reader**

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.