



Meitheal Pharmaceuticals, Inc.

Safety Data Sheet

SDS Title: Neostigmine Methylsulfate Injection, USP Safety Data Sheet	SDS Number: SDS-000035	Page Number: Page 1 of 18
Function: Regulatory Affairs	Effective Date: July 14, 2026	Version number: 4.0

Section 1. Identification

GHS product identifier : Neostigmine Methylsulfate Injection, USP

Other means of identification : Not available.

Product type : Liquid.

Relevant identified uses of the substance or mixture and uses advised against

Product use : Pharmaceuticals. (For intended use only.)
Observe technical data sheet/instructions for use.
Specific Treatments: cholinesterase inhibition

Area of application : Professional applications.

Supplier's details : Meitheal Pharmaceuticals, Inc.
8700 W. Bryn Mawr, Suite 600S
Chicago, IL 60631

Telephone: 224-443-4617
www.meithealpharma.com

e-mail address of person responsible for this SDS : info@meithealpharma.com

Emergency telephone number (with hours of operation) : 844-824-8426 (Monday - Friday, 08:00 - 18:00 CST)

Section 2. Hazards identification

OSHA/HCS status : While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Classification of the substance or mixture : Not classified.

GHS label elements

Signal word : No signal word.

Hazard statements : No known significant effects or critical hazards.

Precautionary statements

Prevention : Not applicable.

Response : Not applicable.

Storage : Not applicable.

Disposal : Not applicable.

SDS Title: Neostigmine Methylsulfate Injection, USP Safety Data Sheet	SDS Number: SDS-000035	Page Number: Page 2 of 18
Function: Regulatory Affairs	Effective Date: July 14, 2026	Version number: 4.0

Section 2. Hazards identification

- Hazards not otherwise classified** : None known.
- Hazards identified when used** : No known significant effects or critical hazards.

Section 3. Composition/information on ingredients

- Substance/mixture** : Mixture
- Other means of identification** : Not available.

Ingredient name	Synonyms	%	Identifiers
Water	-	≥80	CAS: 7732-18-5
phenol	-	≥0.1 - ≤1	CAS: 108-95-2
acetic acid	Acetic acid	≥0.1 - ≤1	CAS: 64-19-7
sodium hydroxide	-	≥0.1 - ≤1	CAS: 1310-73-2
nitrogen	Nitrogen	≥0.1 - ≤1	CAS: 7727-37-9
neostigmine metilsulfate	Neostigmine methylsulfate	≤0.1	CAS: 51-60-5
Acetic acid, sodium salt, hydrate (1:1:3)	Sodium acetate, trihydrate	≤0.1	CAS: 6131-90-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Section 4. First aid measures

Description of necessary first aid measures

- Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
- Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
- Ingestion** : Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

- Eye contact** : No known significant effects or critical hazards.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : No known significant effects or critical hazards.

SDS Title: Neostigmine Methylsulfate Injection, USP Safety Data Sheet	SDS Number: SDS-000035	Page Number: Page 3 of 18
Function: Regulatory Affairs	Effective Date: July 14, 2026	Version number: 4.0

Section 4. First aid measures

Ingestion : No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact : No specific data.

Inhalation : No specific data.

Skin contact : No specific data.

Ingestion : No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Specific treatments : No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media : Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media : Do not use water jet.

Specific hazards arising from the chemical : In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide

Special protective actions for fire-fighters : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

SDS Title: Neostigmine Methylsulfate Injection, USP Safety Data Sheet	SDS Number: SDS-000035	Page Number: Page 4 of 18
Function: Regulatory Affairs	Effective Date: July 14, 2026	Version number: 4.0

Section 6. Accidental release measures

For emergency responders : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill : Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill : Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Dispose of via a licensed waste disposal contractor. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Section 7. Handling and storage

Precautions for safe handling

Protective measures : Put on appropriate personal protective equipment (see Section 8).

Advice on general occupational hygiene : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

SDS Title: Neostigmine Methylsulfate Injection, USP Safety Data Sheet	SDS Number: SDS-000035	Page Number: Page 5 of 18
Function: Regulatory Affairs	Effective Date: July 14, 2026	Version number: 4.0

Section 8. Exposure controls/personal protection

Ingredient name	Exposure limits
Water phenol	None. ACGIH TLV (United States, 1/2025) A4. Absorbed through skin. TWA 8 hours: 5 ppm. TWA 8 hours: 19 mg/m ³ . NIOSH REL (United States, 10/2020) Absorbed through skin. TWA 10 hours: 5 ppm. TWA 10 hours: 19 mg/m ³ . CEIL 15 minutes: 15.6 ppm. CEIL 15 minutes: 60 mg/m ³ . OSHA PEL (United States, 5/2018) Absorbed through skin. TWA 8 hours: 5 ppm. TWA 8 hours: 19 mg/m ³ . CAL OSHA PEL (United States, 1/2025) Absorbed through skin. TWA 8 hours: 19 mg/m ³ . TWA 8 hours: 5 ppm.
acetic acid	ACGIH TLV (United States, 1/2025) TWA 8 hours: 10 ppm. TWA 8 hours: 25 mg/m ³ . STEL 15 minutes: 15 ppm. STEL 15 minutes: 37 mg/m ³ . NIOSH REL (United States, 10/2020) TWA 10 hours: 10 ppm. TWA 10 hours: 25 mg/m ³ . STEL 15 minutes: 15 ppm. STEL 15 minutes: 37 mg/m ³ . OSHA PEL (United States, 5/2018) TWA 8 hours: 10 ppm. TWA 8 hours: 25 mg/m ³ . CAL OSHA PEL (United States, 1/2025) STEL 15 minutes: 37 mg/m ³ . STEL 15 minutes: 15 ppm. C: 40 ppm. TWA 8 hours: 25 mg/m ³ . TWA 8 hours: 10 ppm.
sodium hydroxide	ACGIH TLV (United States, 1/2025) C: 2 mg/m ³ . NIOSH REL (United States, 10/2020) CEIL: 2 mg/m ³ . OSHA PEL (United States, 5/2018) TWA 8 hours: 2 mg/m ³ . CAL OSHA PEL (United States, 1/2025) C: 2 mg/m ³ .
nitrogen	ACGIH TLV (United States, 1/2025) Oxygen depletion

SDS Title: Neostigmine Methylsulfate Injection, USP Safety Data Sheet	SDS Number: SDS-000035	Page Number: Page 6 of 18
Function: Regulatory Affairs	Effective Date: July 14, 2026	Version number: 4.0

Section 8. Exposure controls/personal protection

neostigmine metilsulfate Acetic acid, sodium salt, hydrate (1:1:3)	[asphyxiant]. None. None.
---	---------------------------------

Biological exposure indices

Ingredient name	Exposure indices
phenol	ACGIH BEI (United States, 1/2025) BEI: 250 mg/g creatinine, phenol [in urine]. Sampling time: end of shift.

Appropriate engineering controls

- : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Environmental exposure controls

- : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

- : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

- : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin protection

Hand protection

- : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Body protection

- : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

- : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

- : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.



Meitheal Pharmaceuticals, Inc.

Safety Data Sheet

SDS Title: Neostigmine Methylsulfate Injection, USP Safety Data Sheet	SDS Number: SDS-000035	Page Number: Page 7 of 18
Function: Regulatory Affairs	Effective Date: July 14, 2026	Version number: 4.0

Section 9. Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance

Physical state	: Liquid. [Clear.]
Color	: Colorless.
Odor	: Not available.
Odor threshold	: Not available.
pH	: 5 to 6.5
Melting point	: Not available.
Boiling point or initial boiling point and boiling range	: Not available.
Flash point	: Not available.
Evaporation rate	: Not available.
Flammability	: Not available.
Lower and upper explosion limit/flammability limit	: Not available.
Vapor pressure	:

Ingredient name	Vapor Pressure at 20°C			Vapor pressure at 50°C		
	mm Hg	kPa	Method	mm Hg	kPa	Method
Water	17.5	2.3		92.258	12.3	

Relative vapor density	: Not available.
Relative density	: 1 [Water = 1]
Density	: 0.9971 to 0.9986 g/cm ³
Solubility(ies)	: Not available.
Partition coefficient: n-octanol/water	: Not applicable.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
SADT	: Not available.
Viscosity	: Dynamic (room temperature): Not available. Kinematic (room temperature): Not available. Kinematic (40°C (104°F)): Not available.

Particle characteristics

Median particle size	: Not applicable.
-----------------------------	-------------------

Other information

Physical/chemical properties comments	: No additional information.
--	------------------------------



Meitheal Pharmaceuticals, Inc.

Safety Data Sheet

SDS Title: Neostigmine Methylsulfate Injection, USP Safety Data Sheet	SDS Number: SDS-000035	Page Number: Page 8 of 18
Function: Regulatory Affairs	Effective Date: July 14, 2026	Version number: 4.0

Section 10. Stability and reactivity

- Reactivity** : No specific test data related to reactivity available for this product or its ingredients.
- Chemical stability** : The product is stable.
- Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.
Under normal conditions of storage and use, hazardous polymerization will not occur.
- Conditions to avoid** : No specific data.
- Incompatible materials** : Reactive or incompatible with the following materials: oxidizing materials.
- Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	
phenol	Rat - Oral - LD50 317 mg/kg Rat - Dermal - LD50 669 mg/kg	<u>Toxic effects:</u> Behavioral - Convulsions or effect on seizure threshold <u>Toxic effects:</u> Behavioral - Tremor Kidney, Ureter, and Bladder - Hematuria Skin After topical exposure - Cutaneous sensitization (experimental)
acetic acid	Rabbit - Dermal - LD50 630 mg/kg Rat - Inhalation - LC50 Dusts and mists 316 mg/m ³ [4 hours] Rat - Oral - LD50 3310 mg/kg Rabbit - Dermal - LD50 1060 mg/kg Rat - Inhalation - LC50 Vapor 11000 mg/m ³ [4 hours]	

Conclusion/Summary [Product] : Not available.

Skin corrosion/irritation

This document contains proprietary information. It must not be reproduced or disclosed to others without prior written approval. The user is responsible for checking the current effective date before using this document.

SDS Title: Neostigmine Methylsulfate Injection, USP Safety Data Sheet	SDS Number: SDS-000035	Page Number: Page 9 of 18
Function: Regulatory Affairs	Effective Date: July 14, 2026	Version number: 4.0

Section 11. Toxicological information

Product/ingredient name

Result

phenol

Rabbit - Skin - Mild irritant

Amount/concentration applied: 100 mg

Rabbit - Skin - Severe irritant

Amount/concentration applied: 535 mg

acetic acid

Rabbit - Skin - Mild irritant

Duration of treatment/exposure: 24 hours

Amount/concentration applied: 50 mg

Rabbit - Skin - Severe irritant

sodium hydroxide

Amount/concentration applied: 525 mg

Rabbit - Skin - Severe irritant

Duration of treatment/exposure: 24 hours

Amount/concentration applied: 500 mg

Conclusion/Summary [Product]

: Not available.

Serious eye damage/eye irritation

Product/ingredient name

Result

phenol

Rabbit - Eyes - Mild irritant

Duration of treatment/exposure: 0.5 minutes

Amount/concentration applied: 5 mg

Rabbit - Eyes - Severe irritant

acetic acid

Amount/concentration applied: 5 mg

Rabbit - Eyes - Mild irritant

Duration of treatment/exposure: 0.5 minutes

Amount/concentration applied: 5 mg

sodium hydroxide

Rabbit - Eyes - Mild irritant

Amount/concentration applied: 400 ug

Rabbit - Eyes - Severe irritant

Duration of treatment/exposure: 24 hours

Amount/concentration applied: 50 ug

Rabbit - Eyes - Severe irritant

Amount/concentration applied: 1 %

Rabbit - Eyes - Severe irritant

Duration of treatment/exposure: 24 hours

Amount/concentration applied: 1 mg

Rabbit - Eyes - Severe irritant

Duration of treatment/exposure: 0.5 minutes

Amount/concentration applied: 1 mg



Meitheal Pharmaceuticals, Inc.

Safety Data Sheet

SDS Title: Neostigmine Methylsulfate Injection, USP Safety Data Sheet	SDS Number: SDS-000035	Page Number: Page 10 of 18
Function: Regulatory Affairs	Effective Date: July 14, 2026	Version number: 4.0

Section 11. Toxicological information

Conclusion/Summary [Product] : Not available.

Respiratory corrosion/irritation

Conclusion/Summary [Product] : Not available.

Respiratory or skin sensitization

Skin

Conclusion/Summary [Product] : Not available.

Respiratory

Conclusion/Summary [Product] : Not available.

Germ cell mutagenicity

Conclusion/Summary [Product] : Not available.

Carcinogenicity

Conclusion/Summary [Product] : Not available.

Classification

Product/ingredient name	OSHA	IARC	NTP
phenol	-	3	-

Reproductive toxicity

Conclusion/Summary [Product] : Not available.

Specific target organ toxicity (single exposure)

Product/ingredient name

phenol

sodium hydroxide

Result

SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) -
Category 1

SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE)
(Respiratory tract irritation) - Category 3

SDS Title: Neostigmine Methylsulfate Injection, USP Safety Data Sheet	SDS Number: SDS-000035	Page Number: Page 11 of 18
Function: Regulatory Affairs	Effective Date: July 14, 2026	Version number: 4.0

Section 11. Toxicological information

Specific target organ toxicity (repeated exposure)

Product/ingredient name

phenol

Result

SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE)
(kidneys, liver, nervous system) - Category 2

Aspiration hazard

Not available.

Information on the likely routes of exposure

Not available.

Potential acute health effects

- Eye contact** : No known significant effects or critical hazards.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : No known significant effects or critical hazards.
- Ingestion** : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

- Eye contact** : No specific data.
- Inhalation** : No specific data.
- Skin contact** : No specific data.
- Ingestion** : No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

- Potential immediate effects** : Not available.
- Potential delayed effects** : Not available.

Long term exposure

- Potential immediate effects** : Not available.
- Potential delayed effects** : Not available.

Potential chronic health effects

Conclusion/Summary [Product] : Not available.

- General** : No known significant effects or critical hazards.
- Carcinogenicity** : No known significant effects or critical hazards.

SDS Title: Neostigmine Methylsulfate Injection, USP Safety Data Sheet	SDS Number: SDS-000035	Page Number: Page 12 of 18
Function: Regulatory Affairs	Effective Date: July 14, 2026	Version number: 4.0

Section 11. Toxicological information

- Mutagenicity** : No known significant effects or critical hazards.
Reproductive toxicity : No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
phenol	317	630	N/A	N/A	0.316
acetic acid	3310	1060	N/A	11	N/A
neostigmine metilsulfate	100	5	N/A	0.05	N/A

Section 12. Ecological information

Toxicity

Product/ingredient name

phenol

Result

Acute - LC50 - Fresh water

Fish - Carp, hawk fish - *Cirrhinus mrigala*
- Larvae

Age: 2 days; Size: 4.5 mm; Weight: 51 mg

1555 µg/l [96 hours]

Effect: Mortality

Acute - LC50 - Marine water

Crustaceans - Opossum shrimp - *Archaeomysis kokuboi* - Juvenile (Fledgling, Hatchling, Weanling)

800 µg/l [48 hours]

Effect: Mortality

Chronic - NOEC - Fresh water

Fish - Rainbow trout, donaldson trout - *Oncorhynchus mykiss*

118 µg/l [90 days]

Effect: Mortality

Chronic - NOEC - Fresh water

Daphnia - Water flea - *Daphnia magna*

Age: <24 hours

1.5 mg/l [21 days]

Effect: Reproduction

Chronic - NOEC - Marine water

Algae - Neptune's Necklace -

Hormosira banksii - Gamete

16 µg/l [72 hours]

Effect: Development

Acute - EC50 - Fresh water

Algae - Green algae - *Raphidocelis subcapitata*

Age: 4 to 7 days

61.1 µg/l [96 hours]

Effect: Population

SDS Title: Neostigmine Methylsulfate Injection, USP Safety Data Sheet	SDS Number: SDS-000035	Page Number: Page 13 of 18
Function: Regulatory Affairs	Effective Date: July 14, 2026	Version number: 4.0

Section 12. Ecological information

acetic acid	Acute - LC50 - Marine water Crustaceans - Brine shrimp - <i>Artemia salina</i> 32 mg/l [48 hours]	<u>Effect</u> : Mortality
	Acute - LC50 - Fresh water Fish - Bluegill - <i>Lepomis macrochirus</i> 75 ppm [96 hours]	<u>Effect</u> : Mortality
sodium hydroxide	Acute - LC50 - Fresh water Fish - Western mosquitofish - <i>Gambusia affinis</i> - Adult 125 ppm [96 hours]	<u>Effect</u> : Mortality
	Acute - EC50 - Fresh water Crustaceans - Water flea - <i>Ceriodaphnia dubia</i> - Neonate <u>Age</u> : <24 hours 40.38 mg/l [48 hours]	<u>Effect</u> : Intoxication

Conclusion/Summary [Product] : Not available.

Persistence and degradability

Product/ingredient name	Result	
phenol	Aerobic 62% [4.16667 days] - Readily	OECD [Ready Biodegradability - Modified MITI Test (I)]

Conclusion/Summary [Product] : Not available.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
phenol	-	-	Readily
acetic acid	-	-	Readily

Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
Water	-1.38	-	Low
phenol	1.47	647 [OECD 305 E]	High
acetic acid	-0.17	3.16	Low
nitrogen	0.67	-	Low
Acetic acid, sodium salt, hydrate (1:1:3)	-4.22	-	Low

Mobility in soil

Soil/Water partition coefficient : Not available.

SDS Title: Neostigmine Methylsulfate Injection, USP Safety Data Sheet	SDS Number: SDS-000035	Page Number: Page 14 of 18
Function: Regulatory Affairs	Effective Date: July 14, 2026	Version number: 4.0

Section 12. Ecological information

Other adverse effects

No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	DOT Classification	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.

Additional information

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to IMO instruments : Not available.



Meitheal Pharmaceuticals, Inc.

Safety Data Sheet

SDS Title: Neostigmine Methylsulfate Injection, USP Safety Data Sheet	SDS Number: SDS-000035	Page Number: Page 15 of 18
Function: Regulatory Affairs	Effective Date: July 14, 2026	Version number: 4.0

Section 15. Regulatory information

U.S. Federal regulations : TSCA 8(a) CDR Exempt/Partial exemption: Not determined
United States inventory (TSCA 8b): All components are active or exempted.
Clean Water Act (CWA) 307: phenol
Clean Water Act (CWA) 311: phenol; acetic acid; sodium hydroxide

TSCA 12(b) - Chemical export notification

Not applicable.

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) : Listed

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

SARA 302/304

Composition/information on ingredients

Name	%	EHS	SARA 302 TPQ		SARA 304 RQ	
			(lbs)	(gallons)	(lbs)	(gallons)
phenol	≥0.1 - ≤1	Yes.	500 / 10000	-	1000	-

SARA 304 RQ : 222222.2 lbs / 100888.9 kg [26709.5 gal / 101106.3 L]

SARA 311/312

Classification : Not applicable.

Composition/information on ingredients

Name	%	Classification
phenol	≥0.1 - ≤1	ACUTE TOXICITY (oral) - Category 4 ACUTE TOXICITY (dermal) - Category 3 ACUTE TOXICITY (inhalation) - Category 2 SKIN CORROSION - Category 1B SERIOUS EYE DAMAGE - Category 1 GERM CELL MUTAGENICITY - Category 2 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) - Category 1 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2
acetic acid	≥0.1 - ≤1	HNOC - Corrosive to digestive tract FLAMMABLE LIQUIDS - Category 3

This document contains proprietary information. It must not be reproduced or disclosed to others without prior written approval. The user is responsible for checking the current effective date before using this document.

SDS Title: Neostigmine Methylsulfate Injection, USP Safety Data Sheet	SDS Number: SDS-000035	Page Number: Page 16 of 18
Function: Regulatory Affairs	Effective Date: July 14, 2026	Version number: 4.0

Section 15. Regulatory information

sodium hydroxide	≥0.1 - ≤1	ACUTE TOXICITY (dermal) - Category 4 ACUTE TOXICITY (inhalation) - Category 4 SKIN CORROSION - Category 1A SERIOUS EYE DAMAGE - Category 1 HNOC - Corrosive to digestive tract [severe] CORROSIVE TO METALS - Category 1 SKIN CORROSION - Category 1A SERIOUS EYE DAMAGE - Category 1 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3 HNOC - Corrosive to digestive tract [severe]
nitrogen	≥0.1 - ≤1	GASES UNDER PRESSURE - Compressed gas SIMPLE ASPHYXIANTS
neostigmine metilsulfate	≤0.1	ACUTE TOXICITY (oral) - Category 3 ACUTE TOXICITY (dermal) - Category 1 ACUTE TOXICITY (inhalation) - Category 1
Acetic acid, sodium salt, hydrate (1:1:3)	≤0.1	COMBUSTIBLE DUSTS

SARA 313

Not applicable.

State regulations

Massachusetts

: None of the components are listed.

New York

: None of the components are listed.

New Jersey

: The following components are listed: PHENOL

Pennsylvania

: None of the components are listed.

California Prop. 65

This product does not require a Safe Harbor warning under California Prop. 65.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

SDS Title: Neostigmine Methylsulfate Injection, USP Safety Data Sheet	SDS Number: SDS-000035	Page Number: Page 17 of 18
Function: Regulatory Affairs	Effective Date: July 14, 2026	Version number: 4.0

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)



Procedure used to derive the classification

Classification	Justification
Not classified.	

History

Date of issue/Date of revision	: 07/14/2026
Date of previous issue	: 07/25/2024
Version	: 4.0
Prepared by	: Sphera Solutions
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods IMO = International Maritime Organization LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available SGG = Segregation Group TDG = Transportation of Dangerous Goods UN = United Nations



Meitheal Pharmaceuticals, Inc.

Safety Data Sheet

SDS Title: Neostigmine Methylsulfate Injection, USP Safety Data Sheet	SDS Number: SDS-000035	Page Number: Page 18 of 18
Function: Regulatory Affairs	Effective Date: July 14, 2026	Version number: 4.0

Section 16. Other information

References : HCS (U.S.A.)- Hazard Communication Standard
International transport regulations

▣ Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Effective