

#### Safety Data Sheet

	Page Number: Page 1 of 15
Effective Date: March 03, 2022	Version number: 1.0

# Section 1. Identification

GHS product identifier	: Regadenoson Injection
Other means of identification	: Not available.
Product type	: Liquid.
Relevant identified uses of	the substance or mixture and uses advised against
Product use	<ul> <li>Pharmaceuticals. (For intended use only.)</li> <li>Observe technical data sheet/instructions for use.</li> <li>Specific Treatments: Pharmacologic stress agent.</li> </ul>
Area of application	: Professional applications.
Supplier's details e-mail address of person	<ul> <li>Meitheal Pharmaceuticals, Inc. 8700 W. Bryn Mawr, Suite 600S Chicago, IL 60631</li> <li>Telephone: 224-443-4617 www.meithealpharma.com</li> <li>info@meithealpharma.com</li> </ul>
responsible for this SDS	
Emergency telephone number (with hours of operation)	: 844-824-8426 (Monday - Friday, 08:00 - 18:00 CST)

## Section 2. Hazards identification

OSHA/HCS status	s material is considered hazardous by the OSHA Hazard Commu CFR 1910.1200).	inication Standard
Classification of the substance or mixture	20 EYE IRRITATION - Category 2B	
GHS label elements		
Signal word	arning	
Hazard statements	20 - Causes eye irritation.	
Precautionary statements		
Prevention	64 - Wash thoroughly after handling.	
Response	05 + P351 + P338 - IF IN EYES: Rinse cautiously with water for s move contact lenses, if present and easy to do. Continue rinsing. 37 + P313 - If eye irritation persists: Get medical advice or attention	
Storage	t applicable.	



#### Safety Data Sheet SDS Title: SDS Number: Page Number: SDS-000053 Regadenoson Injection Safety Data Sheet Page 2 of 15 Function: **Effective Date:** Version number: **Regulatory Affairs** March 03, 2022 1.0

### Section 2. Hazards identification

Disposal Hazards not otherwise classified

: Not applicable.

: None known.

## Section 3. Composition/information on ingredients

Substance/mixture Other means of identification

: Mixture

: Not available.

Ingredient name	Other names	%	CAS number
water propane-1,2-diol		≥75 - ≤90 ≥10 - ≤25	7732-18-5 57-55-6
disodium hydrogenorthophosphate		<1	7558-79-4
Phosphoric acid, monosodium salt, monohydrate		≤1	10049-21-5
Glycine, N,N'-1,2-ethanediylbis[N-	-	≤0.3	6381-92-6
(carboxymethyl)-, sodium salt, hydrate (1:2:2) regadenoson		≤0.1	313348-27-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health and hence require reporting in this section.

### Section 4. First aid measures

#### **Description of necessary first aid measures**

Eye contact	<ul> <li>Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.</li> </ul>
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	<ul> <li>Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.</li> </ul>



SDS Title:	SDS Number:	Page Number:
Regadenoson Injection Safety Data Sheet	SDS-000053	Page 3 of 15
Function:	Effective Date:	Version number:
Regulatory Affairs	March 03, 2022	1.0

### Section 4. First aid measures

Indestion			

: Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Safety Data Sheet

#### Most important symptoms/effects, acute and delayed

Potential acute health effe	<u>cts</u>
Eye contact	: Causes eye irritation.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/symp	<u>otoms</u>
Eye contact	: Adverse symptoms may include the following: irritation watering redness
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
Indication of immediate me	dical attention and special treatment needed, if necessary
Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

### Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: Do not use water jet.



#### Safety Data Sheet

SDS Title: Regadenoson Injection Safety Data Sheet	SDS Number: SDS-000053	Page Number: Page 4 of 15
Function:	Effective Date:	Version number:
Regulatory Affairs	March 03, 2022	1.0

### Section 5. Fire-fighting measures

•	
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

_		
For non-emergency	No action shall be taken involving any personal risk or without suitable training.	
personnel	Evacuate surrounding areas. Keep unnecessary and unprotected personnel from	۱
	entering. Do not touch or walk through spilled material. Avoid breathing vapor or	mist.
	Provide adequate ventilation. Wear appropriate respirator when ventilation is	
	inadequate. Put on appropriate personal protective equipment.	
For emergency responders	If specialized clothing is required to deal with the spillage, take note of any information	ation in
	Section 8 on suitable and unsuitable materials. See also the information in "For n	ion-
	emergency personnel".	
Environmental precautions	Avoid dispersal of spilled material and runoff and contact with soil, waterways, dra	ains
p	and sewers. Inform the relevant authorities if the product has caused environmer	
	pollution (sewers, waterways, soil or air).	itai
	policitori (sewers, waterways, son or an).	
Methods and materials for co	tainment and cleaning up	
Methods and materials for co		
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and m	and and

Stop leak if without risk. Move containers from spin area. Didte with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
 Large spill
 Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see

Section 1 for emergency contact information and Section 13 for waste disposal.



	Page Number: Page 5 of 15
Effective Date: March 03, 2022	Version number: 1.0

## Section 7. Handling and storage

Precautions for safe handling	L	
Protective measures	-	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

## Section 8. Exposure controls/personal protection

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	Exposure limits
water	None.
propane-1,2-diol	OARS WEEL (United States, 1/2021).
	TWA: 10 mg/m <sup>3</sup> 8 hours.
disodium hydrogenorthophosphate	None.
Phosphoric acid, monosodium salt, monohydrate	None.
Glycine, N,N'-1,2-ethanediylbis[N-(carboxymethyl)-, sodium salt,	None.
hydrate (1:2:2)	
regadenoson	None.

Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	-	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### **Individual protection measures**



SDS Number: SDS-000053	Page Number: Page 6 of 15
Effective Date: March 03, 2022	Version number: 1.0

## Section 8. Exposure controls/personal protection

	• •
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

## Section 9. Physical and chemical properties

Appearance	
Physical state	: Liquid. [Clear.]
Color	: Colorless.
Odor	: Not available.
Odor threshold	: Not available.
рН	: 8 to 9.3
Melting point	: Not available.
Boiling point	: Not available.
Flash point	: Not available.
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not applicable.
Lower and upper explosive (flammable) limits	: Not available.
Vapor pressure	: Not available.



#### Safety Data Sheet

SDS Number: SDS-000053	Page Number: Page 7 of 15
Effective Date: March 03, 2022	Version number: 1.0

### Section 9. Physical and chemical properties

Vapor density	: Not available.
Relative density	: Not available.
Density	: 1.0168 to 1.023 g/cm <sup>3</sup> [25°C (77°F)]
Solubility	: Very slightly soluble in the following materials: cold water and hot water.
Solubility in water	: Not available.
Partition coefficient: n- octanol/water	: Not applicable.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
SADT	: Not available.
Viscosity	: Not available.
Flow time (ISO 2431)	: Not available.

## Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous polymerization will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition	: Under normal conditions of storage and use, hazardous decomposition products should

products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

Information on toxicological effects Acute toxicity



#### Safety Data Sheet

	Page Number: Page 8 of 15
Effective Date: March 03, 2022	Version number: 1.0

## Section 11. Toxicological information

Product/ingredient name	Result	Species	Dose	Exposure
propane-1,2-diol	LD50 Dermal	Rabbit	20800 mg/kg	-
	LD50 Oral	Rat	20 g/kg	-
disodium	LD50 Dermal	Rat - Male,	>2000 mg/kg	-
hydrogenorthophosphate		Female		
, , , ,	LD50 Oral	Rat	17000 mg/kg	-
Glycine, N,	LD50 Oral	Rat	2214.37 mg/kg	-
N'-1,2-ethanediylbis[N-				
(carboxymethyl)-, sodium sal	t,			
hydrate (1:2:2)				

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
propane-1,2-diol	Eyes - Mild irritant	Rabbit	-	24 hours 500	-
				mg	
	Eyes - Mild irritant	Rabbit	-	100 mg	-
disodium	Eyes - Mild irritant	Rabbit	-	24 hours 500	-
hydrogenorthophosphate				mg	
	Skin - Mild irritant	Rabbit	-	24 hours 500	-
				mg	

#### **Sensitization**

Not available.

Mutagenicity	
<b>Conclusion/Summary</b>	: Not available.
<b>Carcinogenicity</b>	
<b>Conclusion/Summary</b>	: Not available.
Reproductive toxicity	
<b>Conclusion/Summary</b>	: Not available.
<b>Teratogenicity</b>	
Conclusion/Summary	: Not available.
Specific target organ toxi	<u>city (single exposure)</u>
Not available.	

#### Specific target organ toxicity (repeated exposure)

Name		Route of exposure	Target organs
Glycine, N,N'-1,2-ethanediylbis[N-(carboxymethyl)-, sodium salt, hydrate (1:2:2)	Category 2	inhalation	respiratory tract

#### Aspiration hazard

Not available.



#### Safety Data Sheet

SDS Title:	SDS Number:	Page Number:
Regadenoson Injection Safety Data Sheet	SDS-000053	Page 9 of 15
Function:	Effective Date:	Version number:
Regulatory Affairs	March 03, 2022	1.0

## Section 11. Toxicological information

		<b>.</b>
Information on the likely routes of exposure	1	Routes of entry anticipated: Oral, Dermal, Inhalation.
Potential acute health effects		
Eye contact	÷	Causes eye irritation.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	1	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Symptoms related to the phys Eye contact		Adverse symptoms may include the following: irritation watering redness
Inhalation	:	No specific data.
Skin contact	÷	No specific data.
Ingestion	:	No specific data.
Delayed and immediate effect Short term exposure	<u>s</u>	and also chronic effects from short and long term exposure
Detential immediate		

Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
<u>Long term exposure</u>	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health effe	ects
Not available.	
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
<b>Developmental effects</b>	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

Numerical measures of toxicity Acute toxicity estimates



		ĩ
SDS Title:	SDS Number:	Page Number:
Regadenoson Injection Safety Data Sheet	SDS-000053	Page 10 of 15
Function:	Effective Date:	Version number:
Regulatory Affairs	March 03, 2022	1.0

## Section 11. Toxicological information

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/ I)
propane-1,2-diol disodium hydrogenorthophosphate	20000 17000	20800 2500	N/A N/A	N/A N/A	N/A N/A
Glycine, N,N'-1,2-ethanediylbis[N-(carboxymethyl)-, sodium salt, hydrate (1:2:2)	2214.37	N/A	N/A N/A	11	N/A N/A
regadenoson	5	5	N/A	0.5	N/A

## Section 12. Ecological information

Toxicity		+		
Product/ingredient name	Result	X	Species	Exposure
propane-1,2-diol	Acute EC50 >110 ppm F	resh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 1020000 µg/	l Fresh water	Crustaceans - Ceriodaphnia dubia	48 hours
	Acute LC50 710000 µg/l	Fresh water	Fish - Pimephales promelas	96 hours
disodium	Acute EC50 >100 mg/l F		Algae - Desmodesmus	72 hours
hydrogenorthophosphate			subspicatus	
	Acute LC50 3580000 µg/	l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 >100 mg/l Fi	resh water	Fish - Oncorhynchus mykiss	96 hours
	Acute NOEC >100 mg/l F	resh water	Algae - Desmodesmus subspicatus	72 hours
	Acute NOEC >100 mg/l F	-resh water	Daphnia - Daphnia magna	48 hours
	Acute NOEC 100 mg/l Fr	esh water	Fish - Oncorhynchus mykiss	96 hours
Glycine, N,	Chronic NOEC 25 mg/l F	resh water	Daphnia	21 days
N'-1,2-ethanediylbis[N-				-
(carboxymethyl)-, sodium salt, hydrate (1:2:2)				

Conclusion/Summary :

: Not available.

#### Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
propane-1,2-diol	OECD 301F Ready Biodegradability - Manometric Respirometry Test	98.3 % - Readily - 28 days	100 mg/l DOC	-



#### Safety Data Sheet

SDS Title:	SDS Number:	Page Number:
Regadenoson Injection Safety Data Sheet	SDS-000053	Page 11 of 15
Function:	Effective Date:	Version number:
Regulatory Affairs	March 03, 2022	1.0

### Section 12. Ecological information

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
propane-1,2-diol	-	-	Readily

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
water propane-1,2-diol disodium hydrogenorthophosphate	-1.38 -1.07 -5.8	-	low low low

#### Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects

: No known significant effects or critical hazards.

### Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

### Section 14. Transport information

	DOT Classification	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-



#### Safety Data Sheet

No.

·			
SDS Title:		SDS Number:	Page Number:
Regadenoson Injection Safety Data Sheet		SDS-000053	Page 12 of 15
Function:		Effective Date:	Version number:
Regulatory Affairs		March 03, 2022	1.0
Section 14. Tra	insport information	l	
Packing group -	-		-

### Additional information

**Environmental** 

hazards

```
Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
```

No.

Transport in bulk according : Not available. to IMO instruments

No.

### Section 15. Regulatory information

U.S. Federal regulations	: TSCA 8(a) CDR Exempt/Partial exemption: Not determined
	United States inventory (TSCA 8b): Not determined.
	Clean Water Act (CWA) 311: disodium hydrogenorthophosphate
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	: Not listed
Clean Air Act Section 602 Class I Substances	: Not listed
Clean Air Act Section 602 Class II Substances	: Not listed
DEA List I Chemicals (Precursor Chemicals)	: Not listed
DEA List II Chemicals (Essential Chemicals)	: Not listed
<u>SARA 302/304</u>	
Composition/information	on ingredients
No products were found.	
SARA 304 RQ	: Not applicable.
<u>SARA 311/312</u>	
Classification	: EYE IRRITATION - Category 2B
Composition/information	on ingredients



#### Safety Data Sheet

SDS Title: Regadenoson Injection Safety Data Sheet		Page Number: Page 13 of 15
Function:	Effective Date:	Version number:
Regulatory Affairs	March 03, 2022	1.0

## Section 15. Regulatory information

Name	%	Classification
propane-1,2-diol disodium hydrogenorthophosphate Glycine, N,N'-1,2-ethanediylbis	≥10 - ≤25 <1 ≤0.3	EYE IRRITATION - Category 2B EYE IRRITATION - Category 2B ACUTE TOXICITY (inhalation) - Category 4
[N-(carboxymethyl)-, sodium salt, hydrate (1:2:2) regadenoson		SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2 ACUTE TOXICITY (oral) - Category 2 ACUTE TOXICITY (dermal) - Category 1 ACUTE TOXICITY (inhalation) - Category 2

0.

#### SARA 313

Not applicable.

#### **State regulations**

Massachusetts	: None of the components are listed.
New York	: None of the components are listed.
New Jersey	: The following components are listed: PROPYLENE GLYCOL; 1,2-PROPANEDIOL
Pennsylvania	: The following components are listed: 1,2-PROPANEDIOL
California Prop. 65	

This product does not require a Safe Harbor warning under California Prop. 65.

#### International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### **Montreal Protocol**

Not listed.

Stockholm Convention on Persistent Organic Pollutants Not listed.

### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

### UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.



Safety Data Sheet

SDS Number: SDS-000053	Page Number: Page 14 of 15
Effective Date: March 03, 2022	Version number: 1.0

## Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

#### National Fire Protection Association (U.S.A.)

Health 1 0 Flammability Instability/Reactivity Special

Reprinted with permission from NFPA 704, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

#### Procedure used to derive the classification

Classification EYE IRRITATION - Category 2B		Justification
		Calculation method
History		
Date of issue/Date of revision	: 03/03/2022	
Date of previous issue	: No previous validation	
Version	: 1.0	

Prepared by : Sphera Solutions



SDS Title:	SDS Number:	Page Number:
Regadenoson Injection Safety Data Sheet	SDS-000053	Page 15 of 15
Function:	Effective Date:	Version number:
Regulatory Affairs	March 03, 2022	1.0

### Section 16. Other information

Key to abbreviations	: ATE = Acute Toxicity Estimate
	AMP = Acceptable maximum peak above the acceptable ceiling concentration for an
	8-hr shift
	BCF = Bioconcentration Factor
	GHS = Globally Harmonized System of Classification and Labelling of Chemicals
	IATA = International Air Transport Association
	IBC = Intermediate Bulk Container
	IMDG = International Maritime Dangerous Goods
	LogPow = logarithm of the octanol/water partition coefficient
	MARPOL = International Convention for the Prevention of Pollution From Ships, 1973
	as modified by the Protocol of 1978. ("Marpol" = marine pollution)
	N/A = Not available
	UN = United Nations
References	: HCS (U.S.A.)- Hazard Communication Standard
	International transport regulations

Indicates information that has changed from previously issued version.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.