

#### Meitheal Pharmaceuticals, Inc.

**Safety Data Sheet** 

SDS Title:	SDS Number:	Page Number:
Plerixafor Injection Safety Data Sheet	SDS-000078	Page 1 of 14
Function: Regulatory Affairs	Effective Date: December 20, 2024	Version number: 2.0

## **Section 1. Identification**

GHS product identifier : Plerixafor Injection
Other means of identification : Not available.
Product type : Liquid.

## Relevant identified uses of the substance or mixture and uses advised against

Product use : Pharmaceuticals (For intended use only.).

Observe technical data sheet/instructions for use.

Specific Treatments: Non-Hodgkin's lymphoma or multiple myeloma.

Area of application : Professional applications.

**Supplier's details**: Meitheal Pharmaceuticals, Inc.

8700 W. Bryn Mawr, Suite 600S

Chicago, IL 60631

Telephone: 224-443-4617 www.meithealpharma.com

e-mail address of person responsible for this SDS

info@meithealpharma.com

Emergency telephone number (with hours of operation)

: 844-824-8426 (Monday - Friday, 08:00 - 18:00 CST)

## Section 2. Hazards identification

**OSHA/HCS** status

: While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Classification of the substance or mixture

: Not classified.

**GHS label elements** 

Signal word : No signal word.

**Hazard statements** : No known significant effects or critical hazards.

**Precautionary statements** 

Prevention : Not applicable.
Response : Not applicable.
Storage : Not applicable.
Disposal : Not applicable.



SDS Title: Plerixafor Injection Safety Data Sheet		Page Number: Page 2 of 14
Function: Regulatory Affairs	Effective Date: December 20, 2024	Version number: 2.0

## Section 2. Hazards identification

Hazards not otherwise

: None known.

classified

## Section 3. Composition/information on ingredients

Substance/mixture

: Mixture

Other means of identification

: Not available.

Ingredient name	Other names	%	Identifiers
Water	-	≥90	CAS: 7732-18-5
1,4,8,11-Tetraazacyclotetradecane, 1,1'-	-	≤3	CAS: 155148-31-5
(1,4-phenylenebis(methylene))bis-,			
octahydrochloride			
sodium chloride	Sodium chloride	<1	CAS: 7647-14-5
sodium hydroxide	-	≤0.1	CAS: 1310-73-2
Hydrochloric acid	-	≤0.1	CAS: 7647-01-0

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

## Section 4. First aid measures

### **Description of necessary first aid measures**

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

**Skin contact** 

: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Ingestion

Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

### Most important symptoms/effects, acute and delayed

### Potential acute health effects

: No known significant effects or critical hazards. **Eve contact Inhalation** : No known significant effects or critical hazards. **Skin contact** : No known significant effects or critical hazards. : No known significant effects or critical hazards. Ingestion



SDS Number: SDS-000078	Page Number: Page 3 of 14
Effective Date: December 20, 2024	Version number: 2.0

## Section 4. First aid measures

#### Over-exposure signs/symptoms

Eye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The

exposed person may need to be kept under medical surveillance for 48 hours.

: In a fire or if heated, a pressure increase will occur and the container may burst.

**Specific treatments**: No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.

## See toxicological information (Section 11)

## Section 5. Fire-fighting measures

### **Extinguishing media**

Suitable extinguishing

media

: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing

media

: Do not use water jet.

Specific hazards arising from the chemical

. .

Hazardous thermal decomposition products

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides

halogenated compounds

Special protective actions for fire-fighters

Special protective equipment for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.



SDS Title: Plerixafor Injection Safety Data Sheet		Page Number: Page 4 of 14
Function: Regulatory Affairs	Effective Date: December 20, 2024	Version number: 2.0

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

For emergency responders :

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**Environmental precautions** 

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### Methods and materials for containment and cleaning up

Small spill

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively or it vater-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Dispose of via a licensed waste disposal contractor. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

## Section 7. Handling and storage

#### Precautions for safe handling

**Protective measures** 

Advice on general occupational hygiene

: Put on appropriate personal protective equipment (see Section 8).

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.



SDS Title: Plerixafor Injection Safety Data Sheet		Page Number: Page 5 of 14
Function: Regulatory Affairs	Effective Date: December 20, 2024	Version number: 2.0

## Section 8. Exposure controls/personal protection

### **Control parameters**

### Occupational exposure limits

Ingredient name	Exposure limits
Water 1,4,8,11-Tetraazacyclotetradecane, 1,1'-(1,4-phenylenebis	None. None.
(methylene))bis-, octahydrochloride sodium chloride	None.
sodium hydroxide	ACGIH TLV (United States, 1/2024) C: 2 mg/m³.
	NIOSH REL (United States, 10/2020) CEIL: 2 mg/m³.
	OSHA PEL (United States, 5/2018) TW 8 nours: 2 mg/m³.
•	CAL OSHA PEL (United States, 5/2018) C: 2 mg/m³.
Hydrochloric acid	ACGIH TLV (United States, 1/2024) A4. C: 2 ppm.
	NIOSH REL (United States, 10/2020) CEIL: 5 ppm.
.4.0	CEIL: 7 mg/m³.
	OSHA PEL (United States, 5/2018) CEIL: 5 ppm.
	CEIL: 7 mg/m³.  CAL OSHA PEL (United States, 5/2018)
	C: 2 ppm. TWA 8 hours: 0.45 mg/m <sup>3</sup> .
	TWA 8 hours: 0.3 ppm.

# Appropriate engineering controls

**Environmental exposure** controls

- : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### **Individual protection measures**

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

#### **Eye/face protection**

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.



SDS Number: SDS-000078	Page Number: Page 6 of 14
Effective Date: December 20, 2024	Version number: 2.0

## Section 8. Exposure controls/personal protection

Skin protection

**Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be

worn at all times when handling chemical products if a risk assessment indicates this is

necessary.

Body protection : Personal protective equipment for the body should be selected based on the task being

performed and the risks involved and should be approved by a specialist before handling

this product.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected

based on the task being performed and the risks involved and should be approved by a

specialist before handling this product.

Respiratory protection : Based on the hazard and potential for exposure, select a respirator that meets the

appropriate standard or certification. Respirators must be used according to a respiratory

protection program to ensure proper fitting, training, and other important aspects of use.

## Section 9. Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

**Appearance** 

Physical state : Liquid. [Clear.]

Color : Colorless to pale yellow

Odor : Not available.
Odor threshold : Not available.
pH : 6 to 7.5

Melting point : Not available.

Boiling point or initial : Not available.

boiling point and boiling

limit/flammability limit

range

Flash point : Not available.
Evaporation rate : Not available.
Flammability : Not available.
Lower and upper explosion : Not available.

Vapor pressure

	Vapor Pressure at 20°C		Vapor pressure at 50°C			
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
Water	17.5	2.3		92.258	12.3	

Relative vapor density : Not available.
Relative density : Not available.

**Density** : 0.974 to 1.034 g/cm³ [25°C (77°F)]



	Page Number: Page 7 of 14
Effective Date: December 20, 2024	Version number: 2.0

## Section 9. Physical and chemical properties

Solubility(ies) Media Result

> water Partially soluble

Miscible with water : No.

Partition coefficient: n-

octanol/water

: Not applicable.

**Auto-ignition temperature Decomposition temperature SADT** 

: Not available. : Not available. : Not available.

**Viscosity** 

: Dynamic (room temperature): Not available. Kinematic (room temperature): Not available. Kinematic (40°C (104°F)): Not available

Flow time (ISO 2431)

**Particle characteristics** 

Median particle size

: Not applicable.

: Not available.

**Other information** 

Physical/chemical properties comments : No additional information

## Section 10. Stability and reactivit

: No specific test data related to reactivity available for this product or its ingredients. Reactivity

: The product is stable. **Chemical stability** 

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous polymerization will not occur.

**Conditions to avoid** : No specific data.

Incompatible materials : No specific data.

**Hazardous decomposition** 

products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.



### Meitheal Pharmaceuticals, Inc.

**Safety Data Sheet** 

SDS Title: Plerixafor Injection Safety Data Sheet		Page Number: Page 8 of 14
Function: Regulatory Affairs	Effective Date: December 20, 2024	Version number: 2.0

# Section 11. Toxicological information

## Information on toxicological effects

### **Acute toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
sodium chloride	LD50 Oral	Rat	3000 mg/kg	-

### **Irritation/Corrosion**

Product/ingredient name	Result	Species	Score	Exposure	Observation
sodium chloride	Eyes - Moderate irritant	Rabbit	_	10 mg	-
	Eyes - Moderate irritant	Rabbit	<del>-</del>	24 hours 100 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500	-
sodium hydroxide	Eyes - Mild irritant	Rabbit	_	400 ug	_
•	Eyes - Severe irritant	Rabbit	-	1 %	-
	Eyes - Severe irritant	Rabbit	_	0.5 minutes 1	-
	Eyes - Severe irritant	Rabbit	-	mg 24 hours 50 ug	-
	Skin - Severe irritant	Rabbit	_	24 hours 500	_
Hydrochloric acid	Eyes - Mild irritant	Rabbit	-	mg 0.5 minutes 5 mg	-

## **Sensitization**

Not available.

### **Mutagenicity**

Conclusion/Summary

: Not available.

**Carcinogenicity** 

**Conclusion/Summary** 

: Not available.

**Classification** 

Product/ingredient name	OSHA	IARC	NTP
Hydrochloric acid	-	3	-

## **Reproductive toxicity**

**Conclusion/Summary**: Not available.

**Teratogenicity** 

Conclusion/Summary: Not available.

Specific target organ toxicity (single exposure)



SDS Title: Plerixafor Injection Safety Data Sheet		Page Number: Page 9 of 14
Function: Regulatory Affairs	Effective Date: December 20, 2024	Version number: 2.0

## **Section 11. Toxicological information**

Name	Category	Route of exposure	Target organs
1,4,8,11-Tetraazacyclotetradecane, 1,1'-(1,4-phenylenebis (methylene))bis-, octahydrochloride	Category 3	-	Respiratory tract irritation
sodium hydroxide	Category 3	-	Respiratory tract irritation
Hydrochloric acid	Category 3	-	Respiratory tract irritation

## Specific target organ toxicity (repeated exposure)

Not available.

### **Aspiration hazard**

Not available.

Information on the likely

routes of exposure

: Not available.

## Potential acute health effects

Eye contact
 Inhalation
 No known significant effects or critical hazards.
 Skin contact
 No known significant effects or critical hazards.
 Ingestion
 No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

### Delayed and immediate effects and also chronic effects from short and long term exposure

#### Short term exposure

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

**Long term exposure** 

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

Potential chronic health effects

General : No known significant effects or critical hazards.

Carcinogenicity : No known significant effects or critical hazards.



	SDS Number: SDS-000078	Page Number: Page 10 of 14
Function: Regulatory Affairs	Effective Date: December 20, 2024	Version number: 2.0

## **Section 11. Toxicological information**

Mutagenicity : No known significant effects or critical hazards.Reproductive toxicity : No known significant effects or critical hazards.

## **Numerical measures of toxicity**

### **Acute toxicity estimates**

Product/ingredient name	(	Dermal (mg/kg)	(gases)	(vapors)	Inhalation (dusts and mists) (mg/ I)
sodium chloride	3000	N/A	N/A	N/A	N/A

# Section 12. Ecological information

## **Toxicity**

Product/ingredient name	Result	Species	Exposure
sodium chloride	Acute EC50 4.74 g/L Fresh water	Algae - Chlamydomonas reinhardtii	96 hours
	Acute EC50 519.6 mg/l Fresh water	Crustaceans - Cypris subglobosa	48 hours
	Acute EC50 402 6 mg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute IC50 6.87 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 1000000 µg/l Fresh water	Fish - Morone saxatilis - Larvae	96 hours
	Chronic LC10 781 mg/l Fresh water	Crustaceans - <i>Hyalella azteca</i> - Juvenile (Fledgling, Hatchling, Weanling)	3 weeks
	Chronic NOEC 6 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Chronic NOEC 0.314 g/L Fresh water	Daphnia - Daphnia pulex	21 days
	Chronic NOEC 100 mg/l Fresh water	Fish - Gambusia holbrooki - Adult	8 weeks
sodium hydroxide	Acute EC50 40.38 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours
	Acute LC50 125 ppm Fresh water	Fish - Gambusia affinis - Adult	96 hours
Hydrochloric acid	Acute LC50 240000 μg/l Marine water	Crustaceans - Carcinus maenas - Adult	48 hours
	Acute LC50 282 ppm Fresh water	Fish - <i>Gambusia affinis</i> - Adult	96 hours

Conclusion/Summary : Not available.

## Persistence and degradability

Not available.

## **Bioaccumulative potential**



#### Meitheal Pharmaceuticals, Inc.

Safety Data Sheet

SDS Title: Plerixafor Injection Safety Data Sheet		Page Number: Page 11 of 14
Function: Regulatory Affairs	Effective Date: December 20, 2024	Version number: 2.0

## **Section 12. Ecological information**

Product/ingredient name	LogPow	BCF	Potential
Water	-1.38	-	Low

### **Mobility in soil**

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects

: No known significant effects or critical hazards.

## Section 13. Disposal considerations

### **Disposal methods**

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## Section 14. Transport information

	DOT Classification	IMDG	IATA		
UN number	Not regulated.	Not regulated.	Not regulated.		
UN proper shipping name	-	-	-		
Transport hazard class(es)	-	-	-		
Packing group	-	-	-		
Environmental hazards	No.	No.	No.		

#### **Additional information**

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.



SDS Title:	SDS Number:	Page Number:
Plerixafor Injection Safety Data Sheet	SDS-000078	Page 12 of 14
Function: Regulatory Affairs	Effective Date: December 20, 2024	Version number: 2.0

## **Section 14. Transport information**

Transport in bulk according : Not available.

to IMO instruments

## Section 15. Regulatory information

**U.S. Federal regulations** : TSCA 8(a) CDR Exempt/Partial exemption: Not determined

United States inventory (TSCA 8b): Not determined.

Clean Water Act (CWA) 311: sodium hydroxide; Hydrochloric acid

Clean Air Act Section 112

(b) Hazardous Air **Pollutants (HAPs)**  : Listed

Clean Air Act Section 602

Class I Substances

: Not listed

Clean Air Act Section 602

Class II Substances

: Not listed

**DEA List I Chemicals** 

(Precursor Chemicals)

: Not listed

**DEA List II Chemicals** (Essential Chemicals) : Not listed

**SARA 302/304** 

Composition/information on ingredients

			SARA 302 TPQ SA		SARA 302 TPQ SARA 304 RQ	
Name	%	EHS	(lbs)	(gallons)	(lbs)	(gallons)
Hydrochloric acid	≤0.1	Yes.	500	ī	5000	-

**SARA 304 RQ** : 5555555.6 lbs / 2522222.2 kg [663646 gal / 2512173.5 L]

**SARA 311/312** 

Classification : Not applicable. Composition/information on ingredients

Name	%	Classification
1,4,8,11-Tetraazacyclotetradecane, 1,1'-(1,4-phenylenebis (methylene))bis-,	≤3	SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE)
octahydrochloride sodium chloride sodium hydroxide	<1 ≤0.1	(Respiratory tract irritation) - Category 3 EYE IRRITATION - Category 2A CORROSIVE TO METALS - Category 1
		SKIN CORROSION - Category 1A SERIOUS EYE DAMAGE - Category 1 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE)
Hydrochloric acid	≤0.1	(Respiratory tract irritation) - Category 3 HNOC - Corrosive to digestive tract [severe] CORROSIVE TO METALS - Category 1



SDS Title:	SDS Number:	Page Number:
Plerixafor Injection Safety Data Sheet	SDS-000078	Page 13 of 14
Function: Regulatory Affairs	Effective Date: December 20, 2024	Version number: 2.0

## Section 15. Regulatory information

SKIN CORROSION - Category 1B
SERIOUS EYE DAMAGE - Category 1
SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE)
(Respiratory tract irritation) - Category 3
HNOC - Corrosive to digestive tract
_

#### **SARA 313**

Not applicable.

### **State regulations**

Massachusetts: None of the components are listed.New York: None of the components are listed.New Jersey: None of the components are listed.Pennsylvania: None of the components are listed.

California Prop. 65

This product does not require a Safe Harbor warning under California Prop. 65.

## International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

### **Montreal Protocol**

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

**UNECE Aarhus Protocol on POPs and Heavy Metals** 

Not listed.

## Section 16. Other information

## **Hazardous Material Information System (U.S.A.)**



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.



SDS Title: Plerixafor Injection Safety Data Sheet	SDS Number: SDS-000078	Page Number: Page 14 of 14
Function: Regulatory Affairs	Effective Date: December 20, 2024	Version number: 2.0

## Section 16. Other information

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

## **National Fire Protection Association (U.S.A.)**



## Procedure used to derive the classification

Classification			Justification
Not classified.		7,	

#### **History**

Date of issue/Date of

revision

Date of previous issue

Version : 2.0

Prepared by

: Sphera Solutions

**Key to abbreviations** : ATE = Acute Toxicity Estimate

AMP = Acceptable maximum peak above the acceptable ceiling concentration for an

8-hr shift

: 12/20/2024

: 11/30/2022

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978. ("Marpol" = marine pollution)

N/A = Not available UN = United Nations

References : HCS (U.S.A.)- Hazard Communication Standard

International transport regulations

### ▼ Indicates information that has changed from previously issued version.

## **Notice to reader**

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.